

COVID ON-SITE VACCINATION

Quick note to guide Corporates / Institutions seeking on-site vaccination

EMPLOYEE COMMUNICATION

(To be shared atleast 2/3 days before scheduled date, can even exercise multiple circulations)

A. Eligibility criteria:

1. Age: 18+ Years
2. Exclusions

Pregnant ladies and lactating mothers
<ul style="list-style-type: none"> - People with history of reaction to previous dose - Any kind of Immediate or delayed-onset anaphylaxis or allergic reaction to vaccines or injectable therapies, pharmaceutical products, food-items etc in the past
Provisional / temporary contraindications: <ul style="list-style-type: none"> - Persons having active symptoms of SARS-CoV-2 infection. - SARS-COV-2 patients who have been given anti-SARS-CoV-2 monoclonal antibodies or convalescent plasma. - Acutely unwell and hospitalized (with or without intensive care) patients due to any illness. Please note: in such cases, COVID-19 vaccination is to be deferred for 4-8 weeks after recovery

B. Mandatory requirement before vaccination:

1. Register yourself on Co Win portal and keep the CO-Win ID handy till you are vaccinated. A person can register up to four beneficiaries with a single mobile number
2. Carry valid ID proof on the day of vaccination (AADHAAR CARD, VOTER CARD, PASSPORT , DRIVERS LICENSE, NPR Smart Card, Pension Document with photo – for elderly dependents, in case applicable)

C. Things to do

Pre vaccination	Desired action
<ul style="list-style-type: none"> - Previous known allergic reactions 	<ul style="list-style-type: none"> - Speak to your clinician and get prescription for dosage administration
<ul style="list-style-type: none"> - People with diabetes and or Blood Pressure issues 	<ul style="list-style-type: none"> - Check BP, Sugar levels, should be in control before you go for vaccination - Disclose the values to on-site medical team before vaccination
<ul style="list-style-type: none"> - Eat healthy 	
<ul style="list-style-type: none"> - Received blood plasma or monoclonal antibodies 	<ul style="list-style-type: none"> - Wait for 2 months before taking any vaccination
During vaccination	
<ul style="list-style-type: none"> - Allow easy access for medical staff to upper arm area to vaccinate 	<ul style="list-style-type: none"> - Wear appropriate clothing
<ul style="list-style-type: none"> - If side effects noted like allergic reaction, rashes etc. 	<ul style="list-style-type: none"> - DO NOT PANIC. Medical staff will attend
Post Vaccination	
<ul style="list-style-type: none"> - Rest in observation room for atleast 30 minutes 	
<ul style="list-style-type: none"> - If side effects persist more than 24-48 hours 	<ul style="list-style-type: none"> - Connect with doctor
<ul style="list-style-type: none"> - Onset of fever 	<ul style="list-style-type: none"> - Take paracetamol
<ul style="list-style-type: none"> - Continue wearing mask and practice social distancing 	
<ul style="list-style-type: none"> - Symptoms of covid-19 	<ul style="list-style-type: none"> - Isolate and get tested